

Publications with Advanced Bionics® Technology



Akin I, Kuran G, Saka C, Vural M. (2006) Preliminary results on correlation between neural response imaging and “most comfortable levels” in cochlear implantation. *J Laryngol Otol* 120(4):261-5.

Arnold L, Robinson F, Vickers D, Vieu A, Boyle P. (2009) Development of a compilation of paediatric tests to evaluate speech perception and production. 8th ICCES Proceedings.

Berenstein CK, Mens LH, Mulder JJ, Vanpoucke FJ. (2008) Current steering and current focusing in cochlear implants: Comparison of monopolar, tripolar and virtual channel electrode configurations. *Ear Hear* 29(2):250-60.

Boex C, Baud L, Cosendai G, Sigrist A, Koos MI, Pelizzone M. (2006) Acoustic to electric pitch comparisons in cochlear implant subjects with residual hearing. *J Assoc Res Otolaryngol* 7(2):110-24.

Bonham B, Litvak L. Current focusing and steering: Modeling, physiology, and psychophysics. *Hearing Research*. 2008; 242: 141-153.

Bonnet RM, Frijns JH, Peeters S, Briaire JJ. (2004) Speech recognition with a cochlear implant using triphasic charge-balanced pulses. *Acta Otolaryngol* 124:371-5.

Bosco P, D’Agosta P, Mancini G, Traisci C, D’Elia, Filippo R. (2005) Speech perception results in children implanted with Clarion® evices: Hi-Resolution™ and standard resolution modes. *Acta Otolaryngol* 125:148-58.

Boyle PJ, Büchner A, Stone MA, Lenarz T, Moore BCJ. (2009) Comparison of dual time constant and fast-acting automatic gain control (AGC) systems in cochlear implants. *Int J Audiol* (published online April 1, 2009).

Brendel M, Büchner A, Frohner-Büchner C, Lenarz Th. (2009) Experiences with the Harmony™ behind the ear processor and HiRes® 120 during the first year after implantation. 8th ICCES Proceedings.

Brendel M, Büchner A, Frohner-Büchner C, Lenarz Th. (2009) Use of Cochlear Implant Technology in Everyday Life Situations. 8th ICCES Proceedings.

Brendel M, Büchner A, Kruger B, Frohne-Büchner C, Lenarz T. (2008) Evaluation of the Harmony™ sound processor in combination with the speech coding strategy HiRes 120. *Otol Neurotol* 29(2):199-202.

Brendel M, Büchner A, Kruger B, Frohne-Büchner C, Lenarz T. (2007) The new Harmony™ sound processor - Outcomes with the HiRes 120 speech coding strategy. Proceedings of the 8th European Federation of Audiology Societies Congress, June 2007.

Brendel M, Frohne-Büchner C, Stöver T, Lenarz T, Büchner A. Investigation of pitch discrimination and the effect of learning for virtual channels realized by current steering (2009) *Acta Otolaryngol* (published online Feb. 27, 2009).

Briaire J, Frijns JH. (2006). The consequences of neural degeneration regarding optimal cochlear implant position in scala tympani: a model approach. *Hear Res* 214(1-2):17-27.

Briaire JJ, Frijns JHM. (2005) Unraveling the electrically evoked compound action potential. *Hear Res* 205:143-56.

Büchner A, Brendel M, Kruger B, Frohne-Büchner C, Nogueira W, Edler B, Lenarz T. (2008) Current steering and results from novel speech coding strategies. *Otol Neurotol* 29(2):203-7.

Büchner A, Frohne-Büchner C, Battmer RD, Lenarz T. Two years of experience using stimulation rates between 800 and 5000 pps with the Clarion CII implant. In: Miyamoto RT, ed. *Cochlear Implants*. Proceedings of the VIII International Cochlear Implant Conference, Indianapolis, Indiana, USA. 10-13 May, 2004.

Büchner A, Frohne-Büchner C, Gärtner L, Lesinski-Schiedat A, Battmer RD, Lenarz T. (2006) Evaluation of Advanced Bionics High Resolution mode. *Int J Audiol* 45:407-16.

Büchner A, Frohne-Büchner C, Gärtner L, Stöver T, Battmer RD, Lenarz T. (2009) The Advanced Bionics High Resolution mode: stimulation rates up to 5000 pps. *Acta Otolaryngol* (published online May 27, 2009).

Büchner A, Frohne-Büchner C, Stöver T, Gärtner L, Battmer RD, Lenarz T. (2005) Comparison of a paired or sequential stimulation paradigm with Advanced Bionics’ High-Resolution mode. *Otol Neurotol* 26:941-7.

Büchner A, Frohne-Büchner C, Battmer RD, Lenarz T. (2005) Investigation of stimulation rates between 500 and 5000 pps with the Clarion 1.2, Nucleus CI24 and Clarion CII devices. *Coch Imp Int Suppl* 6:35-7.

Caner G, Olgun L, Gultekin G, Balaban M. (2007) Optimizing fitting in children using objective measures such as neural response imaging and electrically evoked stapedius reflex threshold. *Otol Neurotol* 28(5):637-40.

Chang YT, Yang, HM, Lin YH, Liu SH, Wu JL. Tone Discrimination and Speech Benefit in Mandarin-Speaking Children Fit With HiRes Fidelity 120 Sound Processing. *Otol Neurotol*. 2009; 30: 750-757.

Couloigner V, Noël-Petroff N, Wiener-Vacher S, François M, Van den Abbeele T, Arnold L, Boyle P. (2005) The Auria BTE in children. *Coch Imp Int Suppl* 6:14-16.

Publications with Advanced Bionics® Technology

- Cray JW, Allen RL, Stuart A, Hudson S, Layman E, Givens GD. (2004) An investigation of telephone use among cochlear implant recipients. *Am J Audiol* 13:200-12.
- Desa Souza SG, D'Souza D, Kochure J, D'Souza N. (2004) Outcomes from Clarion implantation in India. *Int Tinnitus J* 10:183-90.
- De Seta E, Bosco E, Pichi B, Balsamo G, Filipo R. (2005) Sound localization in bilaterally implanted children. *Coch Imp Int Suppl* 6:47-51.
- Dincer H, Vickers D, Boyle P, Kirkim G, Olgun L, Incesulu A, Yucel E, Onder S, Akin I, Korkmaz H. (2009) Development of Musical Behavior in Children with Cochlear Implants. 8th ICCES Proceedings.
- Dingemanse JG, Frijns JHM, Briaire J. (2006) Psychophysical assessment of spatial spread of excitation in electrical hearing with single and dual electrode contact maskers. *Ear Hear* 27:645-57.
- Donaldson GS, Allen SL. (2003) Effects of presentation level on phoneme and sentence recognition in quiet by cochlear implant listeners. *Ear Hear* 24:392-405.
- Donaldson GS, Kreft H, Litvak L. (2005) Place-pitch discrimination of single versus dual electrode stimuli by cochlear implant users. *J Acoust Soc Am* 118:623-6.
- Dorman MF, Loizou PF, Fitzke J, Tu Z. (1998) The recognition of sentences in noise by normal-hearing listeners using simulation of cochlear implant signal processors with 6-20 channels. *J Acoust Soc Am* 104:3583-5.
- Dorman MF, Wilson BS. (2004) The design and function of cochlear implants. *Am Scientist* 92:436-45.
- Dunn CC, Tyler RS, Witt SA, Gantz BJ. (2006) Effects of converting bilateral cochlear implant subjects to a strategy with increased rate and number of channels. *Ann Otol Rhinol Laryngol* 115(6):425-32.
- Eisen MD, Franck KH. (2004) Electrically evoked compound action potential amplitude growth functions and HiResolution programming levels in pediatric CII implant subjects. *Ear Hear* 25:528-38.
- Filipo R, Ballantyne D, Mancini P, D'Elia C. (2008) Music perception in cochlear implant recipients: Comparison of findings between HiRes 90 and HiRes 120. *Acta OtoLaryngol* 128(4):378-81.
- Filipo R, Mancini P, D'Elia C, Barbara M. (2004) Objective measurement (NRI) from intracochlear electric stimulation in Clarion CII adult implantees. *Coch Imp Int Supplement* 5:25-7.
- Filipo R, Mancini P, Ballantyne D, Bosco E, D'Elia C. (2004) Short-term study of the effect of speech coding strategy on the auditory performance of pre- and post-lingually deafened adults implanted with the Clarion CII. *Acta Otolaryngol* 124:368-70.
- Firszt JB, Holden L, Reeder R, Skinner MW. (2009) Spectral channels and speech recognition in cochlear implant recipients using HiRes 120 sound processing. *Otol Neurotol* 30:146-52.
- Firszt JB, Koch DB, Downing M, Litvak L. (2007) Current steering creates additional pitch percepts in adult cochlear implant recipients. *Otol Neurotol* 28(5):629-36.
- Friesen LM, Shannon RV, Baskent D, Wang X. (2001) Speech recognition in noise as a function of number of spectral channels: comparison of acoustic hearing and cochlear implants. *J Acoust Soc Am* 110:1150-63.
- Frijns JHM, Briaire JJ, de Laat JAP, Grote M. (2002) Initial evaluation of the Clarion CII cochlear implant: speech perception and Neural Response Imaging. *Ear Hear* 23:184-97.
- Frijns JHM, Briaire JJ, Zarowski A, Verbist BM, Kuzma J. Concept and initial testing of a new basally perimodiolar electrode design. In: Miyamoto RT, ed. *Cochlear Implants*. Proceedings of the VIII International Cochlear Implant Conference, Indianapolis, Indiana, USA. 10-13 May, 2004.
- Frijns JHM, Kalkman RK, vanPoucke FJ, Bongers JS, Briaire JJ. (2009) Simultaneous and non-simultaneous dual electrode stimulation in cochlear implants: evidence for two response modalities. *Acta Otolaryngol* 129:433-439.
- Frijns JHM, Klop MC, Bonnet RM, Briaire JJ. (2003) Optimising the number of electrodes with high rate stimulation of the Clarion CII cochlear implant. *Acta Otolaryngol* 123:138-42.
- Frohne-Büchner C, Büchner A, Gärtner L, Battmer RD, Lenarz T. Experience of uni- and bilateral cochlear implant users with a microphone positioned in the pinna. In: Miyamoto RT, ed. *Cochlear Implants*. Proceedings of the VIII International Cochlear Implant Conference, Indianapolis, Indiana, USA. 10-13 May, 2004.
- Frohne-Büchner C, Popp P, Battmer A, Battmer RD, Lenarz T. (2005) Is Electrical Field Imaging a reliable tool to monitor intra-cochlear changes over time? *Coch Imp Int Suppl* 6:42-4.
- Gärtner L, Einenckel M, Battmer RD, Büchner A, Lenarz T, Popp P, Frohne-Büchner C. (2005) Clinical experience with neural response imaging of the Clarion CII. *Coch Imp Int Suppl* 6:44-7.
- Gärtner L, Frohne-Büchner C, Büchner A, Heermann R, Stöver T, Schwab B, Battmer RD, Lenarz T. Advanced Bionics new HiRes 90K cochlear implant: clinical experience. In: Miyamoto RT, ed. *Cochlear Implants*. Proceedings of the VIII International Cochlear Implant Conference, Indianapolis, Indiana, USA. 10-13 May, 2004.
- Guiraud J, Gallego S, Arnold L, Boyle P, Truy E, Collett L. (2007) Effects of auditory pathway anatomy and deafness characteristics? (1): On electrically evoked auditory brainstem responses. *Hear Res* 223(1-2):48-60.
- Han DM, Chen XQ, Zhao XT, Kong Y, Li YX, Liu S, Liu B, Mo LY. (2005) Comparison between Neural Response Imaging thresholds, electrically evoked auditory reflex thresholds and most comfortable loudness levels in CII Bionic Ear users with HiResolution sound processing strategies. *Acta Otolaryngol* 125:732-5.
- Han D, Liu B, Zhou N, Chen X, Kong Y, Liu H, Zheng Y, Xu L. (2009) Lexical tone perception with HiResolution and HiResolution 120 sound-processing strategies in pediatric Mandarin-speaking cochlear implant users. *Ear Hear* 30(2):169-77.
- Henkin Y, Kaplan-Neeman R, Kronenberg J, Migirov L, Hildesheimer M, Muchnik C. (2006) A longitudinal study of electrical stimulation levels and electrode impedance in children using the Clarion cochlear implant. *Acta Otolaryngol* 126:581-6.

Publications with Advanced Bionics® Technology

Herrmannova D, Lenarz Th, Phillips R, O'Donoghue G, Twomey T, Ramsden R, Henderson L, Bertram B. (2009) Champions profile for evaluation of paediatric cochlear implant users with complex needs – European retrospective study. 8th ICCES Proceedings.

Hong RS, Rubinstein JT, Wehner D, Horn D. (2003) Dynamic range enhancement for cochlear implants. *Otol Neurotol* 24:590-5.

Kahjehnouri Y, Büchner A, Lenarz T. (2009) Making AGC work: variable presentation level speech testing. Proc 8th EFAS Congress/10th Congress of the German Society of Audiology.

Kienast B, Boyle P. (2007) Preliminary Results of the Adult Multicentral European HiRes 120 Study. Proceedings of the 8th European Federation of Audiology Societies Congress, June 2007.

Kienast B, Arnold L, Boyle P. (2009) New speech coding strategy shows promising results for Cochlear Implant users. 8th ICCES Proceedings.

Krüger B, Frohne-Büchner C, Rost U, Strauss-Schier R, Battmer RD, Lenarz T. Conversion of long-term hearing-impaired adults from standard mode to HiRes mode. In: Miyamoto RT, ed. *Cochlear Implants*. Proceedings of the VIII International Cochlear Implant Conference, Indianapolis, Indiana, USA. 10-13 May, 2004.

Koch DB, Downing M, Osberger MJ, Litvak L. (2007) Using current steering to increase spectral resolution in CII and HiRes 90K users. *Ear Hear* 28(2):38S-41S.

Koch DB, Soli S, Downing M, Osberger MJ. (2009) Simultaneous bilateral cochlear implantation: prospective study in adults. *Cochlear Implants Intl*, 10 (published online Feb 27, 2009, DOI: 10.1002/cii.413).

Koch DB, Staller SJ, Jaax K, Martin E. (2005) Bioengineering solutions for hearing loss and related disorders. *Otolaryngol Clin N Am* 38(2):255-72.

Koch DB, Osberger MJ, Segel P, Kessler D. (2004) HiResolution and conventional sound processing in the HiResolution Bionic Ear: using appropriate outcome measures to assess speech recognition abilities. *Audiol Neurotol* 9:214-23.

Limb CJ. (2006) Cochlear implant-mediated perception of music. *Curr Op Otolaryng* 14(5):337-40.

Loizou PC, Poroy O, Dorman MF. (2000) The effect of parametric variations of cochlear implant processors on speech understanding. *J Acoust Soc Am* 108:790-802.

Machery O, van Wieringen A, Carlyon R, Deeks J, Wouters J. (2006) Asymmetric pulses in cochlear implants: effects of pulse shape, polarity, and rate. *J Assoc Res Otolaryngol* 7(3):253-66.

Mancini P, Bosco E, D-Agosta L, Traisci G, Nicastrì M, Capelli G, Ballantyne D, Filipo R. (2009) Implementation of perceptual channels in children implanted with a HiRes 90K device. *Acta Otolaryngol* (published online Feb. 27, 2009).

Mens LH, Berenstein CK. (2005) Speech perception with mono- and quadripolar electrode configuration: a crossover study. *Otol Neurotol* 26:957-64.

Moore BCJ. (2003) Coding of sounds in the auditory system and its relevance to signal processing and coding in cochlear implants. *Otol Neurotol* 24:243-54.

Morse RP, Morse PF, Nunn TB, Archer K, Boyle P. (2007) The effect of Gaussian noise on the threshold, dynamic range, and loudness of analogue cochlear implant stimuli. *J Assoc Res Otolaryngol* 8(1):42-53.

Morse RP, Evans EF. (1996) Enhancement of vowel coding for cochlear implants by addition of noise. *Nature Medicine* 2:928-32.

Novak MA, Black JM, Koch DB. (2007) Standard cochlear implantation of adults with residual low-frequency hearing: Implications for combined electro-acoustic stimulation. *Otology and Neurotology*, 28(5):609-614.

Osberger MJ, Koch DB. Effect of sound processing on performance of young children with cochlear implants. In: Miyamoto RT, ed. *Cochlear Implants*. Proceedings of the VIII International Cochlear Implant Conference, Indianapolis, Indiana, USA. 10-13 May, 2004.

Overstreet EH. New objective measurement techniques and their relationship to HiRes program settings. In: Miyamoto RT, ed. *Cochlear Implants*. Proceedings of the VIII International Cochlear Implant Conference, Indianapolis, Indiana, USA. 10-13 May, 2004.

Perry BP, Hernandez K, Syms III CA, King SM, Olsson JE. HiRes 90K implantation using a minimally invasive surgical technique. In: Miyamoto RT, ed. *Cochlear Implants*. Proceedings of the VIII International Cochlear Implant Conference, Indianapolis, Indiana, USA. 10-13 May, 2004.

Postnov A, Zarowski A, De Clerck N, Vanpoucke F, Officiers FE, Van Dyck D, Peeters S. (2006) High resolution micro-CT scanning as an innovative tool for evaluation of the surgical positioning of cochlear implant electrodes. *Acta Otolaryngol* 126(5):467-74.

Robbins AM, Koch DB, Osberger M, Zimmerman-Phillips S, Kishon-Rabin L. (2004) Effect of age at cochlear implantation on auditory skill development in infants and toddlers. *Arch Otolaryngol Head Neck Surg* 130:570-4.

Rubinstein JT, Wilson BS, Finley CC, Abbas PJ. (1999) Pseudospontaneous activity: stochastic independence of auditory nerve fibres with electrical stimulation. *Hear Res* 127:108-18.

Runge-Samuelson CL. (2009) Effects of high-rate pulse trains on electrode discrimination in cochlear implant users. *Trends Ampl* 13(2):76-86.

Saoji AA, Litvak LM, Hughes ML. (2009) Excitation Patterns of Simultaneous and Sequential Dual-Electrode Stimulation in Cochlear Implant Recipients. *Ear Hear in press*.

Schnupp JWH, Carr CE. On hearing with more than one ear: lessons from evolution. *Nature Neurosci* 12(6): 692-697.

Schramm D. Surgical technique for the implantation of the Advanced Bionics HiRes 90K device with HiFocus perimodiolar (Helix) electrode. In: Miyamoto RT, ed. *Cochlear Implants*. Proceedings of the VIII International Cochlear Implant Conference, Indianapolis, Indiana, USA. 10-13 May, 2004.

Schramm D. Revision cochlear implant surgery utilizing the Advanced Bionics HiRes 90K implant. In: Miyamoto RT, ed. *Cochlear Implants*. Proceedings of the VIII International Cochlear Implant Conference, Indianapolis, Indiana, USA. 10-13 May, 2004.

Sennaroglu L, Sarac S, Turan E. (2005) Modified minimal access surgery for MedEl and Clarion cochlear implants. *Laryngoscope* 115:921-4.

Shippgood L, Briggs J, Axon P, Gray R, Mancini P, Bosco E, Filippo R, Sennaroglu L, Sarac S, Belgin E, Sennaroglu G, Yucel E, Dincer H, Joffo LM. (2009) Multi-Centre Paediatric Bilateral Study: Benefits of Bilateral Implantation with HiRes® 120. 8th ICCES Proceedings.

Skinner MW, Holden TA, Whiting BR, Voie AH, Brunnsden B, Neely JG, Saxon EA, Hullar TE, Finley CC. (2007) In vivo estimates of the position of Advanced Bionics electrode arrays in the human cochlea. *Ann Otol Rhinol Laryngol* 117:2-24.

Smith ZM, Delgutte B, Oxenham AJ. (2002) Chimaeric sounds reveal dichotomies in auditory perception. *Nature* 416:87-90.

Spahr AJ, Dorman MF, Loisel LH. (2007) Performance of patients using different cochlear implant systems: effect of input dynamic range. *Ear Hear* 28(2):260-75.

Spahr AJ, Dorman MF. (2004) Performance of subjects fit with the Advanced Bionics CII and Nucleus 3G cochlear implant devices. *Arch Otolaryngol Head Neck Surg* 130:624-8.

Spahr A, Litvak L, Dorman M, Bohanan A, Mishra L. Simulating the Effects of Spread of Electric Excitation on Musical Tuning and Melody Identification With a Cochlear Implant. *Journal of Speech, Language, and Hearing Research*. 2008; Vol. 51; 1599-1606.

Stone MA, Moore BCJ. (2004) Side effects of fast acting Dynamic Range Compression that affect intelligibility in a competing speech task. *J Acoust Soc Am* 116:2311-23.

Townshend B, Cotter N, Van Compernelle D, White RL. (1987) Pitch Perception by Cochlear Implant Subjects. *J Acoust Soc Am* 82(1):106-15.

Van Dijk P, van Weert S, Rikers MMJG, Stokroos RJ. (2005) The effect of modiolus hugging on spread of neural excitation. *Coch Imp Int Suppl* 6:3-5.

Van Immerseel L, Peeters S, Dykmans P, Vanpoucke F, Bracke P. (2005) SPAIDE: A real-time research platform for the Clarion CII/90K implant. *EURASIP J Appl Sig Proc* 3060-8.

Vanpoucke F, Zarowski A, Casselman J, Frijns JHM, Peeters S. (2004) The facial nerve canal: an important cochlear conduction path revealed by Clarion Electrical Field Imaging. *Otol Neurotol* 25:282-9.

Verbist BM, Frijns JH, Geleijns J, van Buchem MA. (2005) Multi-section CT as a valuable tool in the postoperative assessment of cochlear implant patients. *Am J Neuroradiol* 26:424-9.

Wilson BS, Lawson DT, Müller JM, Tyler RS, Kiefer J. (2003) Cochlear implants: some likely next steps. *Ann Rev Biomed Eng* 5:207-49.

Wolfe J, Kasulis H. Relationships among objective measures and speech perception in adult users of the HiResolution Bionic Ear. *Cochlear Implants Int*. 2008; 9(2), 70-81.

Wolfe J, Schafer EC, Heldner B, Mulder H, Ward E, Vincent B. Evaluation of Speech Recognition in Noise with Cochlear Implants and Dynamic FM. *J Am Acad Audiol*. 2009; 20:409-421.

Wright CG, Roland PS, Kuzma J. (2005) Advanced Bionics thin lateral and Helix II electrode: a temporal bone study. *Laryngoscope* 115:2041-5.

Xu L, Liu B, Chen X, Zheng Y, Kong Y, Liu H, Zhou N, Han D, Zheng Y. Lexical Tone Perception with HiResolution and HiResolution 120 Sound-Processing Strategies in Pediatric Mandarin-Speaking Cochlear Implant Users. *Ear & Hearing*. 2009; 30; 169-177.

Yucel E, Sennaroglu G, Belgin E. (2009) The family oriented musical training for children with cochlear implants: Speech and musical perception results of two year follow-up. *Int J Pediatr Otorhinolaryngol* May 2009 (Ref Manager ID: 1798).

Zeng FG, Fu QJ, Morse R. (2000) Human hearing enhanced by noise. *Brain Res* 869:251-5.

HEADQUARTERS

Advanced Bionics, LLC
12740 San Fernando Road
Sylmar, CA 91342 USA
877.829.0026 in USA and Canada
800.678.3575 TTY
661.362.1400
661.362.1500 Fax
info@AdvancedBionics.com

EUROPE

Advanced Bionics SARL
76 rue de Battenheim
68170 Rixheim, France
+33.3.89.65.98.00
+33.3.89.65.50.05 Fax
europe@AdvancedBionics.com

ASIA-PACIFIC

Advanced Bionics Asia-Pacific Limited
Suite 4203, 42/F, Tower One
Lippo Centre, 89 Queensway
Hong Kong
852.2526.7668
852.2526.7628 Fax
AP@AdvancedBionics.com

LATIN AMERICA

Advanced Bionics
28515 Westinghouse Place
Valencia, CA 91355 USA
661.362.1840
661.362.4604 Fax
LA@AdvancedBionics.com